

Delaware Electric Cooperative
Generator Interconnection Application –Long Form
(For Use with Generators Greater than 25 kW)

An applicant (Generator Owner) makes application to Delaware Electric Cooperative to install and operate a generating facility greater than 25kW interconnected with the Delaware Electric Cooperative utility system.

Section 1, Applicant Information Is the following system: ☐ Leased or ☒ Member Owned

Name: Dorothy Lockerman

Mailing Address: 6070 Scotts Store Rd.

City: Bridgeville State: DE Zip Code: 19933

Facility Location (if different from above): 14564 Blanchard Rd. Bridgeville, DE

Telephone (Daytime): Area Code 302 Number 236-3308 (Evening) Area Code _____ Number _____

Delaware Electric Cooperative Account No.: 2878302

Rate Code: 5P6

Section 2, Generator Type

Is Generator powered from a Renewable Energy Source: ☒ Yes ☐ No

Type of Energy Source (if applicable): ☒ Solar ☐ Wind ☐ Hydro

Other generator energy source: ☐ Diesel, Natural Gas ☐ Diesel, Fuel Oil ☐ Other: _____

Will excess power be exported to Delaware Electric Cooperative? ☒ Yes ☐ No

Site Load: 49.6 kW (Typical) Maximum Export: _____ kW.

Section 3, Generator Technical Information

Type of Generator: ☐ Synchronous ☐ Induction ☒ DC Generator or Solar with Inverter

Generator (or solar collector) Manufacturer, Model Name & Number: Axtec AC-310P-156-72S
(A copy of Generator Nameplate and Manufacturer's Specification Sheet may be substituted)
(160 panels) Output Power Rating in kW: .310 kW DC

Inverter Manufacturer, Model Name & Number (if used): SMA SB 7700TL-US-22
(A copy of Inverter Nameplate and Manufacturer's Specification Sheet may be substituted)
Rating in kW: 7.68 kweach (5)

Generator Characteristic Data (for rotating machines):
(Not needed if Generator Nameplate and Manufacturer's Specification Sheet is provided)

Direct Axis Synchronous Reactance, X_d : _____ P.U. Negative Sequence Reactance: _____ P.U.

Direct Axis Transient Reactance, X'_d : _____ P.U. Zero Sequence Reactance: _____ P.U.

Direct Axis Subtransient Reactance, X''_d : _____ P.U. KVA Base: _____

Delaware Electric Cooperative Generator Interconnection Application -Long Form

Section 4, Interconnecting Equipment Technical Data

Will an interposing transformer be used between the generator and the point of interconnection?

☐ Yes ☒ No

Transformer Data (if applicable, for Customer Owned Transformer):

(A copy of transformer Nameplate and Manufacturer's Test Report may be substituted)

Size: _____ KVA . Transformer Primary : _____ Volts ☐ Delta ☐ Wye ☐ Wye Grounded

Transformer Secondary: _____ Volts ☐ Delta ☐ Wye ☐ Wye Grounded

Transformer Impedance: _____ % on _____ KVA Base

Transformer Fuse Data (if applicable, for Customer Owned Fuse):

(Attach copy of fuse manufacturer's Minimum Melt & Total Clearing Time-Current Curves)

Manufacturer: _____ Type: _____ Size: _____ Speed: _____

Interconnecting Circuit Breaker (if applicable):

(A copy of breaker's Nameplate and Specification Sheet may be substituted)

Manufacturer: _____ Type: _____ Load Rating: _____ Interrupting Rating: _____ Trip Speed: _____
(Amps) (Amps) (Cycles)

Circuit Breaker Protective Relays (if applicable):

(Enclose copy of any proposed Time-Overcurrent Coordination Curves)

Manufacturer: _____ Type: _____ Style/Catalog No.: _____ Proposed Setting: _____

Manufacturer: _____ Type: _____ Style/Catalog No.: _____ Proposed Setting: _____

Manufacturer: _____ Type: _____ Style/Catalog No.: _____ Proposed Setting: _____

Manufacturer: _____ Type: _____ Style/Catalog No.: _____ Proposed Setting: _____

Manufacturer: _____ Type: _____ Style/Catalog No.: _____ Proposed Setting: _____

Current Transformer Data (if applicable):

(Enclose copy of Manufacturer's Excitation & Ratio Correction Curves)

Manufacturer: _____ Type: _____ Accuracy Class: _____ Proposed Ratio Connection: _____/5

Manufacturer: _____ Type: _____ Accuracy Class: _____ Proposed Ratio Connection: _____/5

Generator Disconnect Switch:

A lockable disconnect device shall be installed within 3 feet of the DEC meter and accessible at all times by DEC personnel, by and at the cost of the owner.

Manufacturer: SQD Type: fused Catalog No.: DZZ4NR Rated Volts: 240 Rated Amps: 400

Single or 3 Phase: single Mounting Location: beside utility meter (within 3 feet)

Delaware Electric Cooperative Generator Interconnection Application -Long Form

Section 6, General Technical Information

Enclose copy of site One-Line Diagram showing configuration and interconnection of all equipment, current and potential circuits and protection and control schemes. Is One-Line Diagram Enclosed?: ☒ Yes

Enclose copy of any site documentation that describes and details the operation of the protection and control schemes. Is Any Available Documentation Enclosed?: ☒ Yes

Enclose copies of schematic drawings for all protection and control circuits, relay current circuits, relay potential circuits, and alarm/monitoring circuits. Are Schematic Drawings Enclosed?: ☒ Yes

Section 7, PJM Interconnection Queue

The Generator Owner must submit a Generation Interconnection Request directly to PJM if: any Generation is designated in whole or in part as a Capacity Resource to PJM or; if generator intends to sell output to another entity at another electrical location. Generation which is operating "behind the meter" in isolation from the PJM bulk power transmission system and which does not intend to participate in the PJM wholesale energy market may not need to apply to the PJM interconnection queue. PJM has sole discretion on interconnection queue requirements.

Prior to installation send the completed Pages 1-3 to Delaware Electric Cooperative, Attn: Troy Dickerson, Manager of Engineering; Phone: (302) 349-3125 Email: tdickerson@decoop.com or mail to P.O. Box 600 Greenwood, DE 19950

Section 8, Preliminary Approval to Proceed with Interconnection

Delaware Electric Cooperative: ☒ Has Approved ☐ Has Not Approved this Preliminary Application.

Name : Tony Rutherford Digitally signed by Tony Rutherford
DN: cn=Tony Rutherford, o=DEC, ou=DEC,
email=tony.rutherford@decoop.com, c=US
Date: 2015.12.12 13:55:50 -0500 Date: 11/12/2015

Signature: _____

Reason of Not Approving: _____

Delaware Electric Cooperative
Generator Interconnection Application -Long Form

Section 8. Installation Details

Generating System will be installed by: ☐ Owner ☒ State Licensed Electrician

Installing Electrician: Robert Miller Firm: Rob's Electric, Inc. License No.: T2-0024061

Mailing Address: 156 Pleasant Cove Lane

City: Dover State: DE Zip Code: 19904

Telephone with Area Code: 302 343 9030

Installation Date: 1/25/16 - 2/2/16 Interconnection Date: _____

Supply certification that the generating system has been installed and inspected in compliance with the local Building/Electrical code of the municipality of SUSSEX

Signed (Inspector): _____ Date: 2/2/16
(In lieu of signature of Inspector, a copy of the final inspection certificate may be attached)

Section 9. Generator/Equipment Certification

Generating systems that utilize inverter technology must be compliant with *IEEE 1547* and *Underwriters Lab. UL 1741*. Generating systems must be compliant with Delaware Electric Cooperative's "Technical Requirements for Parallel Operation of Member Owned Generation" document. The Applicant must certify that the installed generating equipment meets the appropriate preceding requirement(s) and can supply documentation that confirms compliance. Generation cannot be turned on until a Delaware Electric Cooperative representative has performed a site visit, installed a warning label near the service meter, and has authorized the system for interconnection.

Section 10. Applicant Signature

I hereby certify that, to the best of my knowledge, all the information provided in the Interconnection Application is true and correct.

* Signature of Applicant: Anthony P. Vaccaro Date: 5/3/12

Delaware Electric Cooperative
Generator Interconnection Application -Long Form
(For Use with Generators Greater than 25 kW)

This page for use by Delaware Electric Cooperative Only

Section 11, Approval or Non-Approval

Delaware Electric Cooperative: ☒ Has Approved ☐ Has Not Approved this Interconnection Application.

Name : Tony Rutherford Digitally signed by Tony Rutherford
DN: cn=Tony Rutherford, o=DEC, email=tony.rutherford@dec.org, c=US
Date: 2016.03.03 15:10:10 -0400 Date: 3/3/2016

Signature: _____

Reason of Not Approving: _____

Approval to connect to the Company system indicates only that the minimum requirements for a safe proper interconnection have been satisfied. Such approval does not imply that the Generator Owner's facility meets all federal, state and local standards or regulations.

Section 11, Internal Checks and Notifications

DEC has performed a site visit and approved the system:	<input type="checkbox"/> Yes
DEC has installed a Warning Label on or near the service meter:	<input type="checkbox"/> Yes
Notify Billing Dept. of Interconnected Generation:	<input type="checkbox"/> Yes
Notify Mapping Dept. of Interconnected Generation:	<input type="checkbox"/> Yes
Notify Metering Dept. of Interconnected Generation:	<input type="checkbox"/> Yes
Notify System Protection of Interconnected Generation:	<input type="checkbox"/> Yes

At completion send Pages 4 - 5 to Delaware Electric Cooperative, Attn: Troy Dickerson, Manager of Engineering: Phone: (302) 349-3125 Email: tdickerson@decoop.com or mail to P.O. Box 600 Greenwood, DE 19950